



Stoma Accessories Formulary and Agreed Fair usage Guideline

This policy has been developed in collaboration with Stoma Clinical Nurse Specialists at Bedfordshire NHS Trust and Milton Keynes NHS Trust

New products should ONLY be initiated by Hospital/Community Stoma team

All Prescribing in Primary Care is via the BLMK ICB Appliance Prescribing Service

0808 141 0824 prescriptionservice.bhg@nhs.net

Patients overusing (i.e. quantities not in line with this policy) will need a clinical review with the Stoma team

Hospital Stoma Team Contact Details

Bedford Hospital

Tel: 01234 792278 Email: stomacare@bedfordhospital.nhs.uk

Luton and Dunstable Hospital

Tel: 01582 497091 Email: Idh-tr.stomateam@nhs.net

Milton Keynes Hospital

Tel: 01908 996951 Email: stomateam@mkuh.nhs.uk





Accessory Type	Name and Code (Ensure correct specific code pre	scribed)	Recommended Quantities	
Adhesive Removers Sprays	Sprays are more cost effective than wipes. Generally, prescribe one type but might need occasional both spray/wipes as directed by stoma nurse.			
	Ostoflift Opus Clinipeel Offmore Salts	300724 5506 4501 OM60 WAP	2 bottles per 30 stoma bags Multiple stomas will need double amount	
Adhesive Remover Wipes	Wipes may be more suitable for people with poor dexterity or two-piece stoma bags.			
	Stocare wipes Salts wipes Peel Easy	STC 200 WAP2 300715	1 single wipe per pouch (1 box per 30 pouches)	
Barrier Wipes (films, foams)	Short-term use only via Clinical Nurse Specialist (usually 3 months) All barrier preparations are on specialist advice.			
	Stocare wipes Salts wipes Independence Fusion (on specialist advice only)	STC 250 PPS1 BW3	30 Wipes for every 30 stoma bags	
Barrier Sprays	For peri-anal soreness, anal dilation soreness, peristomal breakdown.			
	Clinifilm Stocare Respond Clinishield	300719 STC 150 RMC 5 3831	1 bottle per 30 stoma bags	
Other Barriers e.g. creams	For mucocutaneous hypersensitivity, Cancer patients & complex dermatological conditions.			
	Medi Derma-S Barrier Cream 90g Pelican Barrier cream 60g Guard Barrier Cream 60g Clinimed Barrier cream LBF	9 60345 130100E RMC1 3821	On specialist nurse advice only	
Discharge Solidifying gels	Sometimes described as thickening gels. Consider second and third line in patients with chemotherapy induced diarrhoea, jejunostomy			
	Gel X caps Convatec Diamond Sachets Absorb Neutralising sachets	GEL-X TR105 PFW6	1 box per 30 stoma bags.	
Irrigation Kits accessories	Complete kits provided by Trust Stoma nurses. Prescription service to prescribe replacement accessories.			





Accessory Type	Name and Code (Ensure correct specific code pres	scribed)	Recommended Quantities	
	Coloplast including accessories Dansac including accessories		These should last up to a year.	
Lubricating gels	Lubricating deodorising gels via clinical nurse specialist, these are used as a lubricant, not deodoriser as they help to reduce pancaking. The ICB does not support the prescribing of the sachets.			
	Glide Odour Neutralising Lubricar Brava lubricating Bottle	nt TCB6 12061	1 bottle lasts approximately 3 months	
Seals / Barrier Rings	These are mouldable and help prevent leaks. Check to see if still needed before issuing a repeat prescription			
	Eakin Brava Adapt (including CERA)	ALL codes ALL codes ALL codes	30 per month i.e.one per stoma bag	
Stoma Powder	Respond powder 50g	ABP2	As per Specialist recommendation from Stoma Team	
Stoma Paste	Pastes are used to create an even surface immediately next to the stoma this gives a good seal and helps to prevent leakages.			
	Salts Dansac Soft Paste	NSP1 77550-0	As per Specialist recommendation from Stoma Team	
Support Wear	Levels 2- 3 belts and vests are supported by the ICB. These should only be prescribed following an assessment by Clinical Nurse Specialist.			
	All Brands		Maximum 3 per year	
Flange extenders	Brava Elastic Tape Salts Respond Hollister	ALL codes ALL codes ALL codes 79402	Up to 3 per stoma bag depending on size (Patient Specific)	
lleostomy bags	The ICB does not support the prescribing of flushable bags			
	Drainable bags		30 bags per month	
Colostomy bags	The ICB does not support the prescribing of flushable bags			
	Non-drainable bags (Closed bags)		Up to 90 bags per month	
Urostomy bags	The ICB does not support the prescribing of flushable bags			





Accessory Type	Name and Code (Ensure correct specific code prescribed)	Recommended Quantities		
	These are drainable & will need matching to manufacturer's night drainage bags (see below)	20-30 bags per month		
Night drainage	This information is relevant for urostomy patients not continence			
bags	Matching Manufacturers (see above)	5 bags per month.		
Stoma caps				
	All brands	30 caps per month		
Leak Detection				
System	Coloplast Heylo	Non formulary		
Not to be prescribed				
Deodorants	ALL aerosols and odourising drops			
General Skin Cleansers / Liquids	ALL - Patients should use warm water and soap to clean their hands and area around stoma or should purchase as per the NHS self-care agenda.			
Bag covers	ALL bag covers			

Acknowledgement: Norfolk & Waveney ICB, Agreed Fair Usage Policy Stoma Miscellaneous Appliances