

Stoma Accessories Formulary and Agreed Fair usage Guideline

This policy has been developed in collaboration with Stoma Clinical Nurse Specialists at Bedfordshire NHS Trust and Milton Keynes NHS Trust

New products should ONLY be initiated by Hospital/Community Stoma team

All Prescribing in Primary Care is via the BLMK ICB Appliance Prescribing Service

0808 141 0824 prescriptionservice.bhg@nhs.net

Patients overusing (i.e. quantities not in line with this policy) will need a clinical review with the Stoma team

Hospital Stoma Team Contact Details
<u>Bedford Hospital</u> Tel: 01234 792278 Email: stomacare@bedfordhospital.nhs.uk
<u>Luton and Dunstable Hospital</u> Tel: 01582 497091 Email: ldh-tr.stomateam@nhs.net
<u>Milton Keynes Hospital</u> Tel: 01908 996951 Email: stomateam@mkuh.nhs.uk

Accessory Type	Name and Code (Ensure correct specific code prescribed)		Recommended Quantities
Adhesive Removers Sprays	Sprays are more cost effective than wipes. Generally, prescribe one type but might need occasional both spray/wipes as directed by stoma nurse.		
	Ostoflift	300724	2 bottles per 30 stoma bags Multiple stomas will need double amount
	Opus	5506	
	Clinipeel	4501	
	Offmore	OM60	
	Salts	WAP	
Adhesive Remover Wipes	Wipes may be more suitable for people with poor dexterity or two-piece stoma bags.		
	Stocare wipes	STC 200	1 single wipe per pouch (1 box per 30 pouches)
	Salts wipes	WAP2	
	Peel Easy	300715	
Barrier Wipes (films, foams)	Short-term use only via Clinical Nurse Specialist (usually 3 months) All barrier preparations are on specialist advice.		
	Stocare wipes	STC 250	30 Wipes for every 30 stoma bags
	Salts wipes	PPS1	
	Independence Fusion (on specialist advice only)	BW3	
Barrier Sprays	For peri-anal soreness, anal dilation soreness, peristomal breakdown.		
	Clinifilm	300719	1 bottle per 30 stoma bags
	Stocare	STC 150	
	Respond	RMC 5	
	Clinishield	3831	
Other Barriers e.g. creams	For mucocutaneous hypersensitivity, Cancer patients & complex dermatological conditions.		
	Medi Derma-S Barrier Cream 90g	60345	On specialist nurse advice only
	Pelican Barrier cream 60g	130100E	
	Guard Barrier Cream 60g	RMC1	
	Clinimed Barrier cream LBF	3821	
Discharge Solidifying gels	Sometimes described as thickening gels. Consider second and third line in patients with chemotherapy induced diarrhoea, jejunostomy		
	Gel X caps	GEL-X	1 box per 30 stoma bags.
	Convatec Diamond Sachets	TR105	
	Absorb Neutralising sachets	PFW6	

Accessory Type	Name and Code (Ensure correct specific code prescribed)	Recommended Quantities
Irrigation Kits accessories	Complete kits provided by Trust Stoma nurses. Prescription service to prescribe replacement accessories.	
	Coloplast including accessories Dansac including accessories	These should last up to a year.
Lubricating gels	Lubricating deodorising gels via clinical nurse specialist, these are used as a lubricant, not deodoriser as they help to reduce pancaking. The ICB does not support the prescribing of the sachets.	
	Glide Odour Neutralising Lubricant TCB6 Brava lubricating Bottle 12061	1 bottle lasts approximately 3 months
Seals / Barrier Rings	These are mouldable and help prevent leaks. Check to see if still needed before issuing a repeat prescription	
	Eakin ALL codes Brava ALL codes Adapt (including CERA) ALL codes	30 per month i.e. one per stoma bag
Stoma Powder		
	Respond powder 50g ABP2	As per Specialist recommendation from Stoma Team
Stoma Paste	Pastes are used to create an even surface immediately next to the stoma this gives a good seal and helps to prevent leakages.	
	Salts NSP1 Dansac Soft Paste 77550-0	As per Specialist recommendation from Stoma Team
Support Wear	Levels 2- 3 belts and vests are supported by the ICB. These should only be prescribed following an assessment by Clinical Nurse Specialist.	
	All Brands	Maximum 3 per year
Flange extenders		
	Brava Elastic Tape ALL codes Salts ALL codes Respond ALL codes Hollister 79402	Up to 3 per stoma bag depending on size (Patient Specific)
Ileostomy bags	The ICB does not support the prescribing of flushable bags	
	Drainable bags	30 bags per month
Colostomy bags	The ICB does not support the prescribing of flushable bags	
	Non-drainable bags (Closed bags)	Up to 90 bags per month

Accessory Type	Name and Code (Ensure correct specific code prescribed)	Recommended Quantities
Urostomy bags	The ICB does not support the prescribing of flushable bags	
	These are drainable & will need matching to manufacturer's night drainage bags (see below)	20-30 bags per month
Night drainage bags	This information is relevant for urostomy patients not continence	
	Matching Manufacturers (see above)	5 bags per month.
Stoma caps		
	All brands	30 caps per month
Leak Detection System		
	Coloplast Heylo	Non formulary
Not to be prescribed		
Deodorants	ALL aerosols and odourising drops	
General Skin Cleansers / Liquids	ALL - Patients should use warm water and soap to clean their hands and area around stoma or should purchase as per the NHS self-care agenda.	
Bag covers	ALL bag covers	

Acknowledgement: Norfolk & Waveney ICB, Agreed Fair Usage Policy Stoma Miscellaneous Appliances